



BK BKS

 **TYPE BK**
 **TYPE BKS**



TYPE BK



TYPE BKS

Codice <i>Code</i>		Riferimenti <i>References</i>		Dimensioni <i>Dimensions</i>
TYPE BK	TYPE BKS	UK	U.S.A	h
GBK0040000	GBKS0040000	004	2007	1,4
GBK0050000	GBKS0050000	005	2010	1,4
GBK0060000	GBKS0060000	006	2012	1,4
GBK8010000	GBKS8010000	801	-	1,4
GBK0070000	GBKS0070000	007	2015	1,4
GBK0080000	GBKS0080000	008	2018	1,4
GBK8020000	GBKS8020000	802	-	1,4
GBK0090000	GBKS0090000	009	2021	1,4
GBK0100000	GBKS0100000	010	2025	1,4
GBK8030000	GBKS8030000	803	-	1,4
GBK6100000	GBKS6100000	610	106	1,4
GBK0110000	GBKS0110000	011	2031	1,4
GBK8040000	GBKS8040000	804	-	1,4
GBK6110000	GBKS6110000	611	108	1,4
GBK0120000	GBKS0120000	012	2037	1,4
GBK0121000	GBKS0121000	-	-	1,4
GBK0130000	GBKS0130000	013	2043	1,4
GBK8060000	GBKS8060000	806	114	1,4
GBK0140000	GBKS0140000	014	2050	1,4
GBK0150000	GBKS0150000	015	2056	1,4
GBK0160000	GBKS0160000	016	2062	1,4
GBK0170000	GBKS0170000	017	2068	1,4
GBK0180000	GBKS0180000	018	2075	1,4
GBK0190000	GBKS0190000	019	2081	1,4
GBK0200000	GBKS0200000	020	2087	1,4
GBK0210000	GBKS0210000	021	2093	1,4
GBK0220000	GBKS0220000	022	2100	1,4
GBK0230000	GBKS0230000	023	2106	1,4
GBK0240000	GBKS0240000	024	2112	1,4
GBK0250000	GBKS0250000	025	2118	1,4
GBK0260000	GBKS0260000	026	2125	1,4
GBK0270000	GBKS0270000	027	2131	1,4
GBK0280000	GBKS0280000	028	2137	1,4
GBK5170000	GBKS5170000	517	-	1,4
GBK0290000	GBKS0290000	029	2150	1,4
GBK5190000	GBKS5190000	519	-	1,4
GBK0300000	GBKS0300000	030	2162	1,4
GBK0310000	GBKS0310000	031	2175	1,4
GBK0320000	GBKS0320000	032	2187	1,4
GBK0330000	GBKS0330000	033	2200	1,4
GBK0340000	GBKS0340000	034	2212	1,4
GBK0350000	GBKS0350000	035	2225	1,4
GBK0360000	GBKS0360000	036	2237	1,4
GBK0370000	GBKS0370000	037	2250	1,4
GBK0380000	GBKS0380000	038	2262	1,4
GBK0390000	GBKS0390000	039	2275	1,4
GBK0400000	GBKS0400000	040	2287	1,4
GBK0410000	GBKS0410000	041	2300	1,4
GBK5320000	GBKS5320000	532	2312	1,4
GBK0420000	GBKS0420000	042	2325	1,4
GBK5340000	GBKS5340000	534	2337	1,4
GBK0430000	GBKS0430000	043	2350	1,4
GBK5360000	GBKS5360000	536	2362	1,4
GBK0440000	GBKS0440000	044	2375	1,4
GBK5380000	GBKS5380000	538	2387	1,4
GBK0450000	GBKS0450000	045	2400	1,4

Codice <i>Code</i>		Riferimenti <i>References</i>		Dimensioni <i>Dimensions</i>
TYPE BK	TYPE BKS	UK	U.S.A	h
GBK5400000	GBKS5400000	540	2412	1,4
GBK0460000	GBKS0460000	046	2425	1,4
GBK5420000	GBKS5420000	542	2437	1,4
GBK0470000	GBKS0470000	047	2450	1,4
GBK5440000	GBKS5440000	544	2462	1,4
GBK0480000	GBKS0480000	048	2475	1,4
GBK5460000	GBKS5460000	546	2487	1,4
GBK0490000	GBKS0490000	049	2500	1,4
GBK5480000	GBKS5480000	548	2512	1,4
GBK0500000	GBKS0500000	050	2525	1,4
GBK5500000	GBKS5500000	550	2537	1,4
GBK5510000	GBKS5510000	551	2550	1,4
GBK5520000	GBKS5520000	552	2562	1,4
GBK5530000	GBKS5530000	553	2575	1,4
GBK5540000	GBKS5540000	554	2587	1,4
GBK5550000	GBKS5550000	555	2600	1,4
GBK5560000	GBKS5560000	556	2612	1,4
GBK5570000	GBKS5570000	557	2625	1,4
GBK5580000	GBKS5580000	558	2637	1,4
GBK5590000	GBKS5590000	559	2652	1,4
GBK5600000	GBKS5600000	560	2662	1,4
GBK5610000	GBKS5610000	561	2675	1,4
GBK5620000	GBKS5620000	562	2687	1,4
GBK1020000	GBKS1020000	102	-	1,4
GBK1030000	GBKS1030000	103	-	1,4
GBK1040000	GBKS1040000	104	-	1,4
GBK1050000	GBKS1050000	105	-	1,4
GBK1060000	GBKS1060000	106	-	1,4
GBK1070000	GBKS1070000	107	3021	1,4
GBK1080000	GBKS1080000	108	3024	1,4
GBK1090000	GBKS1090000	109	3030	1,4
GBK1091000	GBKS1091000	-	109	1,4
GBK1100000	GBKS1100000	110	3037	1,4
GBK6130000	GBKS6130000	613	112	1,4
GBK1110000	GBKS1110000	111	3043	1,4
GBK6140000	GBKS6140000	614	115	1,4
GBK1120000	GBKS1120000	112	3050	1,4
GBK8070000	GBKS8070000	807	-	1,4
GBK6150000	GBKS6150000	615	117	1,4
GBK1130000	GBKS1130000	113	3056	1,4
GBK6160000	GBKS6160000	616	119	1,4
GBK1140000	GBKS1140000	114	3062	1,4
GBK8090000	GBKS8090000	809	121	1,4
GBK1150000	GBKS1150000	115	3068	1,4
GBK8100000	GBKS8100000	810	-	1,4
GBK6170000	GBKS6170000	617	123	1,4
GBK1160000	GBKS1160000	116	3075	1,4
GBK1170000	GBKS1170000	117	3081	1,4
GBK8120000	GBKS8120000	812	128	1,4
GBK1180000	GBKS1180000	118	3087	1,4
GBK8130000	GBKS8130000	813	130	1,4
GBK1190000	GBKS1190000	119	3093	1,4
GBK8140000	GBKS8140000	814	132	1,4
GBK1200000	GBKS1200000	120	3100	1,4
GBK1210000	GBKS1210000	121	3106	1,4
GBK1220000	GBKS1220000	122	3112	1,4

TENUTE STATICHE
STATIC SEALS

BK BKS

Codice Code		Riferimenti References		Dimensioni Dimensions
TYPE BK	TYPE BKS	UK	U.S.A	h
GBK1230000	GBKS1230000	123	3118	1,4
GBK1240000	GBKS1240000	124	3125	1,4
GBK1250000	GBKS1250000	125	3131	1,4
GBK1260000	GBKS1260000	126	3137	1,4
GBK1270000	GBKS1270000	127	3143	1,4
GBK1280000	GBKS1280000	128	3150	1,4
GBK1290000	GBKS1290000	129	3156	1,4
GBK1300000	GBKS1300000	130	3162	1,4
GBK1310000	GBKS1310000	131	3168	1,4
GBK1320000	GBKS1320000	132	3175	1,4
GBK1330000	GBKS1330000	133	3181	1,4
GBK1340000	GBKS1340000	134	3187	1,4
GBK1350000	GBKS1350000	135	3193	1,4
GBK1360000	GBKS1360000	136	3200	1,4
GBK1370000	GBKS1370000	137	3206	1,4
GBK1380000	GBKS1380000	138	3212	1,4
GBK1390000	GBKS1390000	139	3218	1,4
GBK1400000	GBKS1400000	140	3225	1,4
GBK1410000	GBKS1410000	141	3231	1,4
GBK1420000	GBKS1420000	142	3237	1,4
GBK1430000	GBKS1430000	143	3243	1,4
GBK1440000	GBKS1440000	144	3250	1,4
GBK1450000	GBKS1450000	145	3256	1,4
GBK1460000	GBKS1460000	146	3262	1,4
GBK1470000	GBKS1470000	147	3268	1,4
GBK1480000	GBKS1480000	148	3275	1,4
GBK1490000	GBKS1490000	149	3281	1,4
GBK1500000	GBKS1500000	150	3287	1,4
GBK6400000	GBKS6400000	640	-	1,4
GBK1510000	GBKS1510000	151	3300	1,4
GBK6410000	GBKS6410000	641	-	1,4
GBK6420000	GBKS6420000	642	-	1,4
GBK1520000	GBKS1520000	152	3325	1,4
GBK6430000	GBKS6430000	643	-	1,4
GBK1530000	GBKS1530000	153	3350	1,4
GBK1540000	GBKS1540000	154	3375	1,4
GBK1550000	GBKS1550000	155	3400	1,4
GBK1560000	GBKS1560000	156	3425	1,4
GBK1570000	GBKS1570000	157	3450	1,4
GBK1580000	GBKS1580000	158	3475	1,4
GBK1590000	GBKS1590000	159	3500	1,4
GBK1600000	GBKS1600000	160	3525	1,4
GBK1610000	GBKS1610000	161	3550	1,4
GBK1620000	GBKS1620000	162	3575	1,4
GBK1630000	GBKS1630000	163	3600	1,4
GBK1640000	GBKS1640000	164	3625	1,4
GBK1650000	GBKS1650000	165	3650	1,4
GBK1660000	GBKS1660000	166	3675	1,4
GBK1670000	GBKS1670000	167	3700	1,4
GBK1680000	GBKS1680000	168	3725	1,4
GBK1690000	GBKS1690000	169	3750	1,4
GBK1700000	GBKS1700000	170	3775	1,4
GBK1710000	GBKS1710000	171	3800	1,4
GBK1720000	GBKS1720000	172	3825	1,4
GBK1730000	GBKS1730000	173	3850	1,4
GBK1740000	GBKS1740000	174	3875	1,4
GBK1750000	GBKS1750000	175	3900	1,4
GBK1760000	GBKS1760000	176	3925	1,4
GBK1770000	GBKS1770000	177	3950	1,4
GBK1780000	GBKS1780000	178	3975	1,4
GBK2010000	GBKS2010000	201	-	1,4
GBK2020000	GBKS2020000	202	-	1,4
GBK2030000	GBKS2030000	203	4028	1,4
GBK2040000	GBKS2040000	204	4036	1,4
GBK2050000	GBKS2050000	205	4042	1,4
GBK2060000	GBKS2060000	206	4050	1,4
GBK2070000	GBKS2070000	207	4055	1,4

Codice Code		Riferimenti References		Dimensioni Dimensions
TYPE BK	TYPE BKS	UK	U.S.A	h
GBK2080000	GBKS2080000	208	4061	1,4
GBK2090000	GBKS2090000	209	4067	1,4
GBK2100000	GBKS2100000	210	4075	1,4
GBK2110000	GBKS2110000	211	4081	1,4
GBK2120000	GBKS2120000	212	4087	1,4
GBK2130000	GBKS2130000	213	4093	1,4
GBK2140000	GBKS2140000	214	4100	1,4
GBK6180000	GBKS6180000	618	134	1,4
GBK2150000	GBKS2150000	215	4106	1,4
GBK2160000	GBKS2160000	216	4112	1,4
GBK2170000	GBKS2170000	217	4118	1,4
GBK2180000	GBKS2180000	218	4125	1,4
GBK2190000	GBKS2190000	219	4131	1,4
GBK2200000	GBKS2200000	220	4137	1,4
GBK2210000	GBKS2210000	221	4143	1,4
GBK2220000	GBKS2220000	222	4150	1,4
GBK8240000	GBKS8240000	824	144	1,4
GBK2230000	GBKS2230000	223	4162	1,4
GBK8250000	GBKS8250000	825	146	1,4
GBK8260000	GBKS8260000	826	147	1,4
GBK2240000	GBKS2240000	224	4175	1,4
GBK8270000	GBKS8270000	827	149	1,4
GBK8280000	GBKS8280000	828	150	1,4
GBK2250000	GBKS2250000	225	4187	1,4
GBK8290000	GBKS8290000	829	152	1,4
GBK8300000	GBKS8300000	830	153	1,4
GBK2260000	GBKS2260000	226	4200	1,4
GBK8310000	GBKS8310000	831	155	1,4
GBK8320000	GBKS8320000	832	156	1,4
GBK2270000	GBKS2270000	227	4212	1,4
GBK8330000	GBKS8330000	833	158	1,4
GBK8340000	GBKS8340000	834	159	1,4
GBK2280000	GBKS2280000	228	4225	1,4
GBK8350000	GBKS8350000	835	161	1,4
GBK8360000	GBKS8360000	836	162	1,4
GBK2290000	GBKS2290000	229	4237	1,4
GBK8370000	GBKS8370000	837	164	1,4
GBK8380000	GBKS8380000	838	165	1,4
GBK2300000	GBKS2300000	230	4250	1,4
GBK8390000	GBKS8390000	839	167	1,4
GBK8400000	GBKS8400000	840	168	1,4
GBK2310000	GBKS2310000	231	4262	1,4
GBK8410000	GBKS8410000	841	170	1,4
GBK8420000	GBKS8420000	842	171	1,4
GBK2320000	GBKS2320000	232	4275	1,4
GBK8430000	GBKS8430000	843	173	1,4
GBK8440000	GBKS8440000	844	174	1,4
GBK2330000	GBKS2330000	233	4287	1,4
GBK8450000	GBKS8450000	845	176	1,4
GBK8460000	GBKS8460000	846	177	1,4
GBK2340000	GBKS2340000	234	4300	1,4
GBK2350000	GBKS2350000	235	4312	1,4
GBK2360000	GBKS2360000	236	4325	1,4
GBK2370000	GBKS2370000	237	4337	1,4
GBK2380000	GBKS2380000	238	4350	1,4
GBK2390000	GBKS2390000	239	4362	1,4
GBK2400000	GBKS2400000	240	4375	1,4
GBK2410000	GBKS2410000	241	4387	1,4
GBK2420000	GBKS2420000	242	4400	1,4
GBK2430000	GBKS2430000	243	4412	1,4
GBK2440000	GBKS2440000	244	4425	1,4
GBK2450000	GBKS2450000	245	4437	1,4
GBK2460000	GBKS2460000	246	4450	1,4
GBK2470000	GBKS2470000	247	4462	1,4
GBK2480000	GBKS2480000	248	4475	1,4
GBK2490000	GBKS2490000	249	4487	1,4
GBK2500000	GBKS2500000	250	4500	1,4

BK BKS

TENUTE STATICHE
STATIC SEALS

Codice Code		Riferimenti References		Dimensioni Dimensions
TYPE BK	TYPE BKS	UK	U.S.A	h
GBK2510000	GBKS251000	251	4512	1,4
GBK2520000	GBKS252000	252	4525	1,4
GBK2530000	GBKS253000	253	4537	1,4
GBK2540000	GBKS254000	254	4550	1,4
GBK2550000	GBKS255000	255	4562	1,4
GBK2560000	GBKS256000	256	4575	1,4
GBK2570000	GBKS257000	257	4587	1,4
GBK2580000	GBKS258000	258	4600	1,4
GBK2590000	GBKS259000	259	4625	1,4
GBK2600000	GBKS260000	260	4650	1,4
GBK2610000	GBKS261000	261	4675	1,4
GBK2620000	GBKS262000	262	4700	1,4
GBK2630000	GBKS263000	263	4725	1,4
GBK2640000	GBKS264000	264	4750	1,4
GBK2650000	GBKS265000	265	4775	1,4
GBK2660000	GBKS266000	266	4800	1,4
GBK2670000	GBKS267000	267	4825	1,4
GBK2680000	GBKS268000	268	4850	1,4
GBK2690000	GBKS269000	269	4875	1,4
GBK2700000	GBKS270000	270	4900	1,4
GBK2710000	GBKS271000	271	4925	1,4
GBK2720000	GBKS272000	272	4950	1,4
GBK2730000	GBKS273000	273	4975	1,4
GBK2740000	GBKS274000	274	41000	1,4
GBK2750000	GBKS275000	275	41050	1,4
GBK2760000	GBKS276000	276	41100	1,4
GBK2770000	GBKS277000	277	41150	1,4
GBK2780000	GBKS278000	278	41200	1,4
GBK2790000	GBKS279000	279	41300	1,4
GBK2800000	GBKS280000	280	41400	1,4
GBK2810000	GBKS281000	281	41500	1,4
GBK2820000	GBKS282000	282	41600	1,4
GBK2830000	GBKS283000	283	41700	1,4
GBK2840000	GBKS284000	284	41800	1,4
GBK3090000	GBKS309000	309	-	1,7
GBK3100000	GBKS310000	310	-	1,7
GBK3110000	GBKS311000	311	-	1,7
GBK3120000	GBKS312000	312	-	1,7
GBK3130000	GBKS313000	313	-	1,7
GBK3140000	GBKS314000	314	-	1,7
GBK3150000	GBKS315000	315	-	1,7
GBK3160000	GBKS316000	316	-	1,7
GBK3170000	GBKS317000	317	-	1,7
GBK3180000	GBKS318000	318	-	1,7
GBK3190000	GBKS319000	319	-	1,7
GBK3200000	GBKS320000	320	-	1,7
GBK3210000	GBKS321000	321	-	1,7
GBK3220000	GBKS322000	322	-	1,7
GBK3230000	GBKS323000	323	-	1,7
GBK3240000	GBKS324000	324	-	1,7
GBK3250000	GBKS325000	325	6150	1,7
GBK3260000	GBKS326000	326	6162	1,7
GBK3270000	GBKS327000	327	6175	1,7
GBK3280000	GBKS328000	328	6187	1,7
GBK3290000	GBKS329000	329	6200	1,7
GBK3300000	GBKS330000	330	6212	1,7
GBK3310000	GBKS331000	331	6225	1,7
GBK3320000	GBKS332000	332	6237	1,7
GBK3330000	GBKS333000	333	6250	1,7
GBK3340000	GBKS334000	334	6262	1,7
GBK3350000	GBKS335000	335	6275	1,7
GBK3360000	GBKS336000	336	6287	1,7
GBK6190000	GBKS619000	619	178	1,7
GBK3370000	GBKS337000	337	6300	1,7
GBK3380000	GBKS338000	338	6312	1,7
GBK6200000	GBKS620000	620	181	1,7
GBK3390000	GBKS339000	339	6325	1,7

Codice Code		Riferimenti References		Dimensioni Dimensions
TYPE BK	TYPE BKS	UK	U.S.A	h
GBK3400000	GBKS340000	340	6337	1,7
GBK3410000	GBKS341000	341	6350	1,7
GBK6210000	GBKS621000	621	185	1,7
GBK3420000	GBKS342000	342	6362	1,7
GBK3430000	GBKS343000	343	6375	1,7
GBK3440000	GBKS344000	344	6387	1,7
GBK6220000	GBKS622000	622	189	1,7
GBK3450000	GBKS345000	345	6400	1,7
GBK3460000	GBKS346000	346	6412	1,7
GBK3470000	GBKS347000	347	6425	1,7
GBK6230000	GBKS623000	623	193	1,7
GBK3480000	GBKS348000	348	6437	1,7
GBK3490000	GBKS349000	349	6450	1,7
GBK3500000	GBKS350000	350	-	1,7
GBK8600000	GBKS860000	860	199	1,7
GBK3510000	GBKS351000	351	-	1,7
GBK8610000	GBKS861000	861	201	1,7
GBK3520000	GBKS352000	352	-	1,7
GBK8620000	GBKS862000	862	203	1,7
GBK3530000	GBKS353000	353	-	1,7
GBK8630000	GBKS863000	863	206	1,7
GBK3540000	GBKS354000	354	-	1,7
GBK8640000	GBKS864000	864	208	1,7
GBK3550000	GBKS355000	355	-	1,7
GBK8650000	GBKS865000	865	210	1,7
GBK3560000	GBKS356000	356	-	1,7
GBK8660000	GBKS866000	866	213	1,7
GBK3570000	GBKS357000	357	-	1,7
GBK8670000	GBKS867000	867	215	1,7
GBK3580000	GBKS358000	358	-	1,7
GBK8680000	GBKS868000	868	217	1,7
GBK3590000	GBKS359000	359	-	1,7
GBK8690000	GBKS869000	869	219	1,7
GBK3600000	GBKS360000	360	-	1,7
GBK8700000	GBKS870000	870	221	1,7
GBK3610000	GBKS361000	361	6600	1,7
GBK6440000	GBKS644000	644	-	1,7
GBK3620000	GBKS362000	362	6625	1,7
GBK6450000	GBKS645000	645	-	1,7
GBK3630000	GBKS363000	363	6645	1,7
GBK6460000	GBKS646000	646	-	1,7
GBK3640000	GBKS364000	364	6670	1,7
GBK6470000	GBKS647000	647	-	1,7
GBK3650000	GBKS365000	365	6700	1,7
GBK3660000	GBKS366000	366	6720	1,7
GBK3670000	GBKS367000	367	6745	1,7
GBK3680000	GBKS368000	368	6775	1,7
GBK3690000	GBKS369000	369	6795	1,7
GBK3700000	GBKS370000	370	6820	1,7
GBK3710000	GBKS371000	371	6850	1,7
GBK3720000	GBKS372000	372	6870	1,7
GBK3730000	GBKS373000	373	6895	1,7
GBK3740000	GBKS374000	374	6920	1,7
GBK3750000	GBKS375000	375	6945	1,7
GBK3760000	GBKS376000	376	6975	1,7
GBK3770000	GBKS377000	377	6995	1,7
GBK3780000	GBKS378000	378	61050	1,7
GBK3790000	GBKS379000	379	61100	1,7
GBK3800000	GBKS380000	380	61150	1,7
GBK3810000	GBKS381000	381	61200	1,7
GBK3820000	GBKS382000	382	61300	1,7
GBK3830000	GBKS383000	383	61400	1,7
GBK3840000	GBKS384000	384	61500	1,7
GBK3850000	GBKS385000	385	61600	1,7
GBK3860000	GBKS386000	386	61700	1,7
GBK3870000	GBKS387000	387	61800	1,7
GBK3880000	GBKS388000	388	61900	1,7

