

TTS

GUARNIZIONI PER STELO  
ROD SEALS




TTS



TTS/L



TTS/L-AI



Codice Code	Riferimenti References	Dimensione sedi Housing Dimensions		
		d	D	H
GTT501000	TTS 6-14-5,8/L	6,00	14,00	6,30
GTT502000	TTS 6,35-14,3-6/L	6,35	14,30	7,00
GTT502100	TTS 8-14-5,5/L	8,00	14,00	6,00
GTT502200	TTS 8-15-5,8/L	8,00	15,00	6,30
GTT503000	TTS 8-16-5,8/L	8,00	16,00	6,30
GTT504000	TTS 10-16-4,8/L	10,00	16,00	5,40
GTT505000	TTS 10-18-5,8/L	10,00	18,00	6,30
GTT506000	TTS 12-18-4,5	12,00	18,00	5,00
GTT507000	TTS 12-19-5,7/L	12,00	19,00	6,30
GTT508000	TTS 12-20-5,8	12,00	20,00	6,30
GTT509000	TTS 12-20-5,8/L	12,00	20,00	6,30
GTT510000	TTS 12-23-6,5/L	12,00	23,00	7,50
GTT510100	TTS 13-24-6/L	13,00	24,00	7,00
GTT511000	TTS 14-20-4,8/L	14,00	20,00	5,30
GTT512000	TTS 14-22-5,8/L	14,00	22,00	6,30
GTT512100	TTS 14-23-5,6/L	14,00	23,00	6,00
GTT512200	TTS 14-23-5,8/L	14,00	23,00	6,30
GTT512300	TTS 14,5-20-3,5	14,50	20,00	4,00
GTT513000	TTS 15-21,5-4,2/L	15,00	21,50	5,00
GTT514000	TTS 15,4-25,5-6,5/L	15,40	25,50	7,40
GTT515000	TTS 16-22-4	16,00	22,00	4,50
GTT515100	TTS 16-23-5,6/L	16,00	23,00	6,00
GTT515200	TTS 16-23-5,8	16,00	23,00	6,30
GTT516000	TTS 16-24-5,8/L	16,00	24,00	6,30
GTT516100	TTS 16-24-5,8	16,00	24,00	6,30
GTT517000	TTS 16-24-6	16,00	24,00	7,00
GTT518000	TTS 18-25-5	18,00	25,00	5,70
GTT519000	TTS 18-26-5,8/L	18,00	26,00	6,30
GTT520000	TTS 18-26-6	18,00	26,00	7,00
GTT521000	TTS 18-26-6/L	18,00	26,00	7,00
GTT522000	TTS 18-26-8/L	18,00	26,00	9,00
GTT523000	TTS 18-28-5,8	18,00	28,00	6,30
GTT524000	TTS 18-28-5,8/L	18,00	28,00	6,30
GTT525000	TTS 18-28-7	18,00	28,00	8,00
GTT526000	TTS 19,5-27,5-8/L	19,50	27,50	9,00
GTT526100	TTS 20-25-2,2	20,00	25,00	3,00
GTT527000	TTS 20-25-3	20,00	25,00	3,50
GTT528000	TTS 20-25-3,7	20,00	25,00	4,50
GTT529000	TTS 20-26-5/L	20,00	26,00	5,50
GTT530000	TTS 20-26-5,2	20,00	26,00	6,00
GTT531000	TTS 20-26-5,2/L	20,00	26,00	6,00
GTT532000	TTS 20-27-5,8	20,00	27,00	6,30
GTT533000	TTS 20-28-5,8	20,00	28,00	6,30
GTT534000	TTS 20-28-5,8/L	20,00	28,00	6,30
GTT535000	TTS 20-28-6,3/L	20,00	28,00	7,00
GTT536000	TTS 20-28-7/L	20,00	28,00	8,00
GTT537000	TTS 20-30-7,2	20,00	30,00	8,00
GTT538000	TTS 20-30-7/L	20,00	30,00	8,00
GTT539000	TTS 20-30-8/L	20,00	30,00	9,00
GTT540000	TTS 20-30-10	20,00	30,00	11,00
GTT541000	TTS 21-27-4,5	21,00	27,00	5,00
GTT542000	TTS 22-28-4,5	22,00	28,00	5,50
GTT543000	TTS 22-30-5,8/L	22,00	30,00	6,30
GTT544000	TTS 22-30-6	22,00	30,00	7,00
GTT545000	TTS 22-30-6,3/L	22,00	30,00	7,00
GTT546000	TTS 22-30-7	22,00	30,00	8,00

Codice Code	Riferimenti References	Dimensione sedi Housing Dimensions		
		d	D	H
GTT546100	TTS 22-30-7/L	22,00	30,00	8,00
GTT546200	TTS 22-30-8	22,00	30,00	9,00
GTT547000	TTS 22-32-7	22,00	32,00	8,00
GTT548000	TTS 22-32-8	22,00	32,00	9,00
GTT549000	TTS 24-30-4,5	24,00	30,00	5,00
GTT549100	TTS 24-32-5,8	24,00	32,00	6,30
GTT550000	TTS 24-34-5,7	24,00	34,00	6,50
GTT551000	TTS 25-31-3	25,00	31,00	3,50
GTT552000	TTS 25-32-4	25,00	32,00	5,00
GTT553000	TTS 25-32-5,8	25,00	32,00	6,50
GTT554000	TTS 25-33-5,8	25,00	33,00	6,30
GTT555000	TTS 25-33-5,8/L	25,00	33,00	6,30
GTT556000	TTS 25-33-6,5/L	25,00	33,00	7,50
GTT557000	TTS 25-33-7/L	25,00	33,00	8,00
GTT558000	TTS 25-33-8	25,00	33,00	9,00
GTT559000	TTS 25-35-5	25,00	35,00	6,00
GTT560000	TTS 25-35-5,8/L	25,00	35,00	6,30
GTT561000	TTS 25-35-7	25,00	35,00	8,00
GTT562000	TTS 25-35-7/L	25,00	35,00	8,00
GTT563000	TTS 25-35-8	25,00	35,00	9,00
GTT564000	TTS 25-35-8/L	25,00	35,00	9,00
GTT565000	TTS 25-35-9	25,00	35,00	10,00
GTT566000	TTS 25-35-10	25,00	35,00	11,00
GTT566100	TTS 25-35-10/L	25,00	35,00	11,00
GTT567000	TTS 25-36-5	25,00	36,00	6,00
GTT568000	TTS 25-36-5/AI	25,00	36,00	6,00
GTT569000	TTS 25-38-10	25,00	38,00	11,00
GTT569100	TTS 27-35-6	27,00	35,00	6,50
GTT570000	TTS 28-34,2-5,2/L	28,00	34,20	6,00
GTT571000	TTS 28-36-5,8	28,00	36,00	6,30
GTT572000	TTS 28-36-5,8/L	28,00	36,00	6,30
GTT573000	TTS 28-36-8	28,00	36,00	9,00
GTT574000	TTS 28-38-5,8/L	28,00	38,00	6,30
GTT575000	TTS 28-38-7	28,00	38,00	8,00
GTT576000	TTS 28-38-7/L	28,00	38,00	8,00
GTT576100	TTS 28,5-36,5-8	28,50	36,50	9,00
GTT577000	TTS 30-36-3	30,00	36,00	3,50
GTT578000	TTS 30-38-5,8	30,00	38,00	6,30
GTT579000	TTS 30-38-5,8/L	30,00	38,00	6,30
GTT580000	TTS 30-38-5,8/AI	30,00	38,00	6,30
GTT581000	TTS 30-38-8	30,00	38,00	9,00
GTT581100	TTS 30-38-8/L	30,00	38,00	9,00
GTT582000	TTS 30-40-6,5/L	30,00	40,00	7,50
GTT582200	TTS 30-40-7	30,00	40,00	8,00
GTT583000	TTS 30-40-7/L	30,00	40,00	8,00
GTT584000	TTS 30-40-10	30,00	40,00	11,00
GTT585000	TTS 30-40-10-L	30,00	40,00	11,00
GTT586000	TTS 32-40-5,8	32,00	40,00	6,30
GTT587000	TTS 32-40-5,8/L	32,00	40,00	6,30
GTT588000	TTS 32-40-6,7/L	32,00	40,00	7,70
GTT588100	TTS 32-40-7/L	32,00	40,00	8,00
GTT589000	TTS 32-40-8	32,00	40,00	9,00
GTT590000	TTS 32-40-8/L	32,00	40,00	9,00
GTT590100	TTS 32-41,5-7,9/L	32,00	41,50	8,90
GTT591000	TTS 32-42-7/L	32,00	42,00	8,00
GTT592000	TTS 32-42-8/L	32,00	42,00	9,00

**GUARNIZIONI PER STELO**  
**ROD SEALS**

**TTS**

Codice Code	Riferimenti References	Dimensione sedi Housing Dimensions		
		d	D	H
GTT593000	TTS 32-42-10/L	32,00	42,00	11,00
GTT594000	TTS 32-42,5-8/L	32,00	42,50	9,00
GTT595000	TTS 32-45-9,5/L-AI	32,00	45,00	10,50
GTT595100	TTS 32-45-10/L	32,00	45,00	11,00
GTT596000	TTS 35-43-5,8/L	35,00	43,00	6,30
GTT597000	TTS 35-43-6	35,00	43,00	7,00
GTT598000	TTS 35-43-6/L	35,00	43,00	7,00
GTT599000	TTS 35-43-8/L	35,00	43,00	9,00
GTT600000	TTS 35-45-7/L	35,00	45,00	8,00
GTT601000	TTS 35-45-10/L	35,00	45,00	11,00
GTT602000	TTS 35-45-12,5/L	35,00	45,00	13,50
GTT603000	TTS 35-50-10/L	35,00	50,00	11,00
GTT604000	TTS 36-44-5,8/L	36,00	44,00	6,30
GTT605000	TTS 36-44-6	36,00	44,00	7,00
GTT606000	TTS 36-44-8	36,00	44,00	9,00
GTT607000	TTS 36-46-7	36,00	46,00	8,00
GTT607100	TTS 36-46-7-AI	36,00	46,00	8,00
GTT608000	TTS 36-46-7/L-AI	36,00	46,00	8,00
GTT609000	TTS 36-46-10	36,00	46,00	11,00
GTT610000	TTS 36-57-5/AI	36,00	57,00	6,00
GTT611000	TTS 38-45-6	38,00	45,00	7,00
GTT612000	TTS 38-50-8,5/L	38,00	50,00	9,50
GTT613000	TTS 40-48-5,8	40,00	48,00	6,30
GTT614000	TTS 40-48-5,8/L	40,00	48,00	6,30
GTT614100	TTS 40-48-6/L	40,00	48,00	7,00
GTT615000	TTS 40-48-8	40,00	48,00	9,00
GTT616000	TTS 40-48-8/L	40,00	48,00	9,00
GTT617000	TTS 40-48-8/L-AI	40,00	48,00	9,00
GTT618000	TTS 40-49,5-9,5/L	40,00	49,50	10,50
GTT619000	TTS 40-50-6	40,00	50,00	7,00
GTT620000	TTS 40-50-7	40,00	50,00	8,00
GTT621000	TTS 40-50-7/L	40,00	50,00	8,00
GTT622000	TTS 40-50-10	40,00	50,00	11,00
GTT623000	TTS 40-50-10/L	40,00	50,00	11,00
GTT624000	TTS 40-50-10/L-AI	40,00	50,00	11,00
GTT625000	TTS 40-52-10/L-AI	40,00	52,00	11,00
GTT626000	TTS 40-52-17/L-AI	40,00	52,00	18,00
GTT627000	TTS 40-55-7,5/L-AI	40,00	55,00	8,50
GTT628000	TTS 40-55-10/L	40,00	55,00	11,00
GTT629000	TTS 40-55-10/L-AI	40,00	55,00	11,00
GTT630000	TTS 40-60-10/L	40,00	60,00	11,00
GTT631000	TTS 42-50-6/L	42,00	50,00	7,00
GTT632000	TTS 42-52-8/L	42,00	52,00	9,00
GTT633000	TTS 42-53-9	42,00	53,00	10,00
GTT633100	TTS 45-52-12/L	45,00	52,00	13,00
GTT634000	TTS 45-53-5,8/L	45,00	53,00	6,30
GTT635000	TTS 45-53-6	45,00	53,00	7,00
GTT635100	TTS 45-53-7/L	45,00	53,00	8,00
GTT636000	TTS 45-53-8	45,00	53,00	9,00
GTT637000	TTS 45-53-8/L	45,00	53,00	9,00
GTT638000	TTS 45-53-10	45,00	53,00	11,00
GTT638100	TTS 45-53-12	45,00	53,00	13,00
GTT639000	TTS 45-53-12/L	45,00	53,00	13,00
GTT639200	TTS 45-54,3-8/L	45,00	54,30	8,70
GTT639100	TTS 45-55-5,7/L	45,00	55,00	6,50
GTT640000	TTS 45-55-7	45,00	55,00	8,00
GTT641000	TTS 45-55-7/L	45,00	55,00	8,00
GTT642000	TTS 45-55-10	45,00	55,00	11,00
GTT643000	TTS 45-55-10/L	45,00	55,00	11,00
GTT644000	TTS 45-55-10/L-AI	45,00	55,00	11,00
GTT645000	TTS 45-57-7,9,5/L	45,00	57,70	10,50
GTT646000	TTS 45-60-10/L	45,00	60,00	11,00
GTT647000	TTS 46-54-8	46,00	54,00	9,00
GTT648000	TTS 46-54-8/L	46,00	54,00	9,00
GTT649000	TTS 48-60-6/L	48,00	60,00	7,00
GTT650000	TTS 49,5-65,3-10/L	49,50	65,30	11,00
GTT651000	TTS 50-58-8/L	50,00	58,00	9,00
GTT651100	TTS 50-58-8	50,00	58,00	9,00
GTT652000	TTS 50-60-7	50,00	60,00	8,00

Codice Code	Riferimenti References	Dimensione sedi Housing Dimensions		
		d	D	H
GTT653000	TTS 50-60-7/L	50,00	60,00	8,00
GTT653100	TTS 50-60-7/L-AI	50,00	60,00	8,00
GTT654000	TTS 50-60-9/L	50,00	60,00	10,00
GTT655000	TTS 50-60-10	50,00	60,00	11,00
GTT656000	TTS 50-60-10/L	50,00	60,00	11,00
GTT657000	TTS 50-60-10/L-AI	50,00	60,00	11,00
GTT658000	TTS 50-62-8	50,00	62,00	9,00
GTT659000	TTS 50-62-8,6/L-AI	50,00	62,00	9,60
GTT660000	TTS 50-62-10	50,00	62,00	11,00
GTT661000	TTS 50-62,7-9,5/L	50,00	62,70	10,50
GTT662000	TTS 50-65-10	50,00	65,00	11,00
GTT663000	TTS 50-65-10/L	50,00	65,00	11,00
GTT664000	TTS 50-65-10/L-AI	50,00	65,00	11,00
GTT665000	TTS 50-70-12/L-AI	50,00	70,00	13,00
GTT666000	TTS 50-70-13,5/L	50,00	70,00	14,50
GTT667000	TTS 55-63-8	55,00	63,00	9,00
GTT667100	TTS 55-63-8/L	55,00	63,00	9,00
GTT668000	TTS 55-65-7,2	55,00	65,00	8,00
GTT668100	TTS 55-65-7,2/L	55,00	65,00	8,00
GTT669000	TTS 55-65-10	55,00	65,00	11,00
GTT670000	TTS 55-65-10/L	55,00	65,00	11,00
GTT671000	TTS 55-65-10/AI	55,00	65,00	11,00
GTT672000	TTS 55-65-12	55,00	65,00	13,00
GTT673000	TTS 55-65-12/L	55,00	65,00	13,00
GTT674000	TTS 56-66-10	56,00	66,00	11,00
GTT675000	TTS 56-71-11,5/L	56,00	71,00	12,50
GTT675200	TTS 56-71-11,5/L-AI	56,00	71,00	12,50
GTT675100	TTS 56-71-9,5/L	56,00	71,00	10,50
GTT676000	TTS 56-71-9,5/L-AI	56,00	71,00	10,50
GTT677000	TTS 57,1-66,7-9,5/L	57,10	66,70	10,50
GTT678000	TTS 57,1-69,8-9,5/L	57,10	69,80	10,50
GTT678100	TTS 60-68-7/L	60,00	68,00	8,00
GTT679000	TTS 60-68-8	60,00	68,00	9,00
GTT680000	TTS 60-68-8/L	60,00	68,00	9,00
GTT681000	TTS 60-68-13/L	60,00	68,00	14,00
GTT681100	TTS 60-69,3-8/L	60,00	69,30	8,70
GTT682000	TTS 60-70-7,2	60,00	70,00	8,00
GTT682100	TTS 60-70-10	60,00	70,00	11,00
GTT683000	TTS 60-70-10/L	60,00	70,00	11,00
GTT684000	TTS 60-70-11,5/L	60,00	70,00	12,50
GTT685000	TTS 60-70-12/L	60,00	70,00	13,00
GTT686000	TTS 60-70-12	60,00	70,00	13,00
GTT686100	TTS 60-70-12/AI	60,00	70,00	13,00
GTT687000	TTS 60-70-12/L-AI	60,00	70,00	13,00
GTT688000	TTS 60-71-8/L	60,00	71,00	9,00
GTT689000	TTS 60-72-9	60,00	72,00	10,00
GTT690000	TTS 60-72-9/L	60,00	72,00	10,00
GTT691000	TTS 60-75-10/L	60,00	75,00	11,00
GTT692000	TTS 60-75-12/L-AI	60,00	75,00	13,00
GTT692100	TTS 60-75-12/L	60,00	75,00	13,00
GTT693000	TTS 60-80-12/L-AI	60,00	80,00	13,00
GTT694000	TTS 61-69-8	61,00	69,00	9,00
GTT695000	TTS 61-69-8/L	61,00	69,00	9,00
GTT695100	TTS 61-69,7-8/L	61,00	69,70	9,00
GTT696000	TTS 63-71-8	63,00	71,00	9,00
GTT696100	TTS 63-72,5-11,5/L	63,00	72,50	12,50
GTT697000	TTS 63-75-8,6/L-AI	63,00	75,00	9,50
GTT698000	TTS 63-75-10	63,00	75,00	11,00
GTT699000	TTS 63-75-12/L-AI	63,00	75,00	13,00
GTT699100	TTS 63-78-10/L-AI	63,00	78,00	11,00
GTT700000	TTS 63-78-11,5/L-AI	63,00	78,00	12,50
GTT700100	TTS 63-78-11,5/L	63,00	78,00	12,50
GTT701000	TTS 63-78-12,5-L/AI	63,00	78,00	13,50
GTT702000	TTS 63-83-12/L-AI	63,00	83,00	13,00
GTT703000	TTS 63-83-13,5/L-AI	63,00	83,00	14,50
GTT704000	TTS 63,5-76,2-9,5/L	63,50	76,20	10,50
GTT704300	TTS 65-73-8/L	65,00	73,00	9,00
GTT704100	TTS 65-75-5,5	65,00	75,00	6,50
GTT704200	TTS 65-75-7	65,00	75,00	8,00

Codice Code	Riferimenti References	Dimensione sedi Housing Dimensions		
		d	D	H
GTTT704400	TTS 65-75-10	65,00	75,00	11,00
GTTT705000	TTS 65-75-12	65,00	75,00	13,00
GTTT706000	TTS 65-75-12/L	65,00	75,00	13,00
GTTT707000	TTS 65-75-12,5/L	65,00	75,00	13,50
GTTT708000	TTS 65-77,7-9,5/L	65,00	77,70	10,50
GTTT709000	TTS 65-79,2-11,5/L	65,00	79,20	12,50
GTTT709100	TTS 65-80-11	65,00	80,00	12,00
GTTT710000	TTS 65-80-11,5/L-AI	65,00	80,00	12,50
GTTT711000	TTS 66-80-10	66,00	80,00	11,00
GTTT712000	TTS 66,7-76,2-9,5/L	66,70	76,20	10,50
GTTT713000	TTS 68-76-8	68,00	76,00	9,00
GTTT714000	TTS 68-76-8/L	68,00	76,00	9,00
GTTT714100	TTS 69-78,3-8/L	69,00	78,30	8,70
GTTT715000	TTS 69,8-82,5-9,5/L	69,80	82,50	10,50
GTTT715100	TTS 70-78-8	70,00	78,00	9,00
GTTT715200	TTS 70-78-8/L	70,00	78,00	9,00
GTTT716000	TTS 70-80-7	70,00	80,00	8,00
GTTT716100	TTS 70-80-7/AI	70,00	80,00	8,00
GTTT717000	TTS 70-80-10	70,00	80,00	11,00
GTTT718000	TTS 70-80-12	70,00	80,00	13,00
GTTT719000	TTS 70-80-12/AI	70,00	80,00	13,00
GTTT720000	TTS 70-82-9	70,00	82,00	10,00
GTTT721000	TTS 70-85-11,5/L	70,00	85,00	12,50
GTTT722000	TTS 70-85-12/L-AI	70,00	85,00	13,00
GTTT723000	TTS 70-90-12/L-AI	70,00	90,00	13,00
GTTT724000	TTS 70-90-13,5/L-AI	70,00	90,00	14,50
GTTT725000	TTS 72-78-6	72,00	78,00	7,00
GTTT726000	TTS 73-82,4-7/L	73,00	82,40	8,00
GTTT726100	TTS 75-83-5,8/L	75,00	83,00	6,30
GTTT726200	TTS 75-83-7/L	75,00	83,00	8,00
GTTT727000	TTS 75-83-8/L	75,00	83,00	9,00
GTTT728000	TTS 75-85-7,2	75,00	85,00	8,00
GTTT729000	TTS 75-85-7/L	75,00	85,00	8,00
GTTT7291AI	TTS 75-85-7/AI	75,00	85,00	8,00
GTTT730000	TTS 75-85-12	75,00	85,00	13,00
GTTT731000	TTS 75-85-12/L	75,00	85,00	13,00
GTTT732000	TTS 75-85-12/L-AI	75,00	85,00	13,00
GTTT732100	TTS 75-88-13/L-AI	75,00	88,00	14,00
GTTT733000	TTS 75-90-10,5/L	75,00	90,00	11,50
GTTT734000	TTS 75-90-12/L-AI	75,00	90,00	13,00
GTTT735000	TTS 75-95-13,5/L-AI	75,00	95,00	14,50
GTTT736000	TTS 76-84-8	76,00	84,00	9,00
GTTT737000	TTS 76-84-8/L	76,00	84,00	9,00
GTTT737100	TTS 76-85,3-8/L	76,00	85,30	8,70
GTTT738000	TTS 76,2-88,9-9,5/L	76,20	88,90	10,50
GTTT739000	TTS 76,2-91,2-12/L	76,20	91,20	13,00
GTTT740000	TTS 78-86-13/L	78,00	86,00	14,00
GTTT741000	TTS 78-93-10,5	78,00	93,00	11,50
GTTT741100	TTS 79-87,7-8/L	79,00	87,70	9,00
GTTT742000	TTS 79,4-88,9-9,5/L	79,40	88,90	10,50
GTTT742100	TTS 80-88-8/L	80,00	88,00	9,00
GTTT743000	TTS 80-88-9/L-AI	80,00	88,00	10,00
GTTT743100	TTS 80-88-11,5/L-AI	80,00	88,00	12,50
GTTT743200	TTS 80-89,5-11,5/L	80,00	89,50	12,50
GTTT744000	TTS 80-90-7,2	80,00	90,00	8,00
GTTT745000	TTS 80-90-12	80,00	90,00	13,00
GTTT746000	TTS 80-90-12/L	80,00	90,00	13,00
GTTT747000	TTS 80-90-14	80,00	90,00	15,00
GTTT748000	TTS 80-92-9/L	80,00	92,00	9,60
GTTT748100	TTS 80-93-13/L-AI	80,00	93,00	14,00
GTTT748200	TTS 80-92-9	80,00	92,00	9,60
GTTT749000	TTS 80-95-11/L	80,00	95,00	12,00
GTTT750000	TTS 80-95-11,5/L	80,00	95,00	12,50
GTTT751000	TTS 80-95-11,5/L-AI	80,00	95,00	12,50
GTTT752000	TTS 80-96-9,5/L	80,00	96,00	10,50
GTTT753000	TTS 80-96-9,5/L-AI	80,00	96,00	10,50
GTTT754000	TTS 80-100-11,5/L-AI	80,00	100,00	12,50
GTTT754100	TTS 80-100-12/L	80,00	100,00	13,00
GTTT755000	TTS 80-100-13,5/L	80,00	100,00	14,50

Codice Code	Riferimenti References	Dimensione sedi Housing Dimensions		
		d	D	H
GTTT755100	TTS 80-100-13,5/L-AI	80,00	100,00	14,50
GTTT756000	TTS 82,5-97,5-12/L	82,50	97,50	13,00
GTTT756100	TTS 83-98-12/L	83,00	98,00	13,00
GTTT756200	TTS 85-93-8	85,00	93,00	9,00
GTTT757000	TTS 85-95-7	85,00	95,00	8,00
GTTT7570AI	TTS 85-95-7/AI	85,00	95,00	8,00
GTTT757100	TTS 85-95-12/L	85,00	95,00	13,00
GTTT758000	TTS 85-97-8,5	85,00	97,00	9,50
GTTT758100	TTS 85-100-13/L-AI	85,00	100,00	14,00
GTTT759000	TTS 85-105-12/L-AI	85,00	105,00	13,00
GTTT759100	TTS 85-105-12/L	85,00	105,00	13,00
GTTT760000	TTS 85-105-13,5/L-AI	85,00	105,00	14,50
GTTT760100	TTS 85,5-97,5-12/L	85,50	97,50	13,00
GTTT760200	TTS 85,7-111,1-14	85,70	111,10	15,00
GTTT761000	TTS 86-92-6	86,00	92,00	7,00
GTTT762000	TTS 86-101-12/L	86,00	101,00	13,00
GTTT763000	TTS 88-96-8	88,00	96,00	9,00
GTTT764000	TTS 88-96-8/L	88,00	96,00	9,00
GTTT764100	TTS 88-97,3-8/L	88,00	97,30	8,70
GTTT765000	TTS 88,9-101,6-9,5/L	88,90	101,60	10,50
GTTT766000	TTS 90-96-4,8	90,00	96,00	5,50
GTTT766100	TTS 90-98-5,8	90,00	98,00	6,30
GTTT766200	TTS 90-98-8/L	90,00	98,00	9,00
GTTT766400	TTS 90-98-7/L	90,00	98,00	8,00
GTTT766500	TTS 90-100-6,5	90,00	100,00	7,50
GTTT766300	TTS 90-100-12/L	90,00	100,00	13,00
GTTT767100	TTS 90-100-14/L-AI	90,00	100,00	15,00
GTTT767000	TTS 90-102-9/L	90,00	102,00	10,00
GTTT768000	TTS 90-105-8,5/L-AI	90,00	105,00	9,50
GTTT769000	TTS 90-105-11,5/L	90,00	105,00	12,50
GTTT769100	TTS 90-105-13/L-AI	90,00	105,00	14,00
GTTT770000	TTS 90-105-12/L-AI	90,00	105,00	13,00
GTTT771000	TTS 90-110-11,5/L-AI	90,00	110,00	12,50
GTTT772000	TTS 90-110-12/L-AI	90,00	110,00	13,00
GTTT773000	TTS 90-110-14/L	90,00	110,00	15,00
GTTT774000	TTS 91-99-8	91,00	99,00	9,00
GTTT775000	TTS 91-99-8/L	91,00	99,00	9,00
GTTT775100	TTS 92-101,3-8/L	92,00	101,30	8,70
GTTT776000	TTS 95-103-11,5/L	95,00	103,00	12,50
GTTT776100	TTS 95-110-13/L-AI	95,00	110,00	14,00
GTTT777000	TTS 95-112-11,5	95,00	112,00	12,50
GTTT778000	TTS 95-115-13,5/L-AI	95,00	115,00	14,50
GTTT779000	TTS 97-105-13/L	97,00	105,00	14,00
GTTT779100	TTS 98-106,7-8/L	98,00	106,70	9,00
GTTT779200	TTS 98-107,5-11,5/L	98,00	107,50	12,50
GTTT780000	TTS 100-110-12,5/L-AI	100,00	110,00	13,50
GTTT780100	TTS 100-112-14/L	100,00	112,00	15,00
GTTT781000	TTS 100-113-12,5/L-AI	100,00	113,00	13,50
GTTT782000	TTS 100-115-12/L	100,00	115,00	13,00
GTTT782100	TTS 100-120-11,5/L	100,00	120,00	12,50
GTTT782200	TTS 105-113-7/L	105,00	113,00	8,00
GTTT783000	TTS 100-120-13,5/L-AI	100,00	120,00	14,50
GTTT783100	TTS 105-113-5,8	105,00	113,00	6,30
GTTT783200	TTS 105-113-8/L	105,00	113,00	9,00
GTTT783300	TTS 105-120-11	105,00	120,00	12,00
GTTT783400	TTS 105-120-11/L	105,00	120,00	12,00
GTTT784000	TTS 105-125-12/L-AI	105,00	125,00	13,00
GTTT785000	TTS 107-115-8	107,00	115,00	9,00
GTTT786000	TTS 107-115-8/L	107,00	115,00	9,00
GTTT786100	TTS 107-116,3-8/L	107,00	116,30	8,70
GTTT787000	TTS 108-116-8/L	108,00	116,00	9,00
GTTT787100	TTS 108-117-8/L	108,00	117,00	8,70
GTTT787200	TTS 108-123-12/L	108,00	123,00	13,00
GTTT788000	TTS 110-120-13,5/L-AI	110,00	120,00	14,50
GTTT789000	TTS 110-120-11,5/L	110,00	120,00	12,50
GTTT790000	TTS 110-125-11,3/L	110,00	125,00	12,00
GTTT791000	TTS 110-130-12/L-AI	110,00	130,00	13,00
GTTT792000	TTS 112-127-12/L	112,00	127,00	13,00
GTTT792100	TTS 114-130-20/L-AI	114,00	130,00	21,00

**GUARNIZIONI PER STELO**  
**ROD SEALS**

**TTS**

Codice Code	Riferimenti References	Dimensione sedi Housing Dimensions		
		d	D	H
GTTTS793000	TTS 115-123-11,5/L	115,00	123,00	12,50
GTTTS793100	TTS 115-130-11	115,00	130,00	12,00
GTTTS793300	TTS 115-130-11/L-AI	115,00	130,00	12,00
GTTTS793200	TTS 115-130-15/L-AI	115,00	130,00	16,00
GTTTS794000	TTS 115-130-16/L-AI	115,00	130,00	17,00
GTTTS794100	TTS 116-124,7-8/L	116,00	124,70	9,00
GTTTS794200	TTS 116-125,5-11,5/L	116,00	125,50	12,50
GTTTS795000	TTS 118-126-13/L	118,00	126,00	14,00
GTTTS795100	TTS 120-128-5,8	120,00	128,00	6,30
GTTTS795200	TTS 120-128-8/L	120,00	128,00	9,00
GTTTS795300	TTS 120-128-7/L	120,00	128,00	8,00
GTTTS796000	TTS 120-135-15	120,00	135,00	16,00
GTTTS797000	TTS 120-140-11,5/L-AI	120,00	140,00	12,50
GTTTS798000	TTS 126-134-8	126,00	134,00	9,00
GTTTS799000	TTS 126-134-8/L	126,00	134,00	9,00
GTTTS799100	TTS 126-135,3-8/L	126,00	135,30	8,70
GTTTS799200	TTS 127-152,4-14	127,00	152,40	15,00
GTTTS800000	TTS 127-140-12,5/L-AI	127,00	140,00	13,50
GTTTS800100	TTS 130-140-7/AI	130,00	140,00	8,00
GTTTS800200	TTS 130-145-11	130,00	145,00	12,00
GTTTS801000	TTS 130-145-15/L	130,00	145,00	16,00
GTTTS801100	TTS 130-150-15	130,00	150,00	16,00
GTTTS802000	TTS 130-155-15/L	130,00	155,00	16,00
GTTTS802100	TTS 135-143,7-8/L	135,00	143,70	9,00
GTTTS802200	TTS 135-143-11,5/L	135,00	143,00	12,50
GTTTS802300	TTS 135-144,5-11,5/L	135,00	144,50	12,50
GTTTS802400	TTS 135-150-11	135,00	150,00	12,00
GTTTS803000	TTS 137-152-12/L	137,00	152,00	13,00
GTTTS803200	TTS 140-148-7/L	140,00	148,00	8,00
GTTTS803100	TTS 140-155-11	140,00	155,00	12,00
GTTTS804000	TTS 140-155,5-5,8	140,00	155,50	6,30
GTTTS805000	TTS 140-160-14/L-AI	140,00	160,00	15,00
GTTTS805100	TTS 140-160-14/L	140,00	160,00	15,00
GTTTS806000	TTS 140-165-18/L-AI	140,00	165,00	19,00
GTTTS807000	TTS 143-151-13/L	143,00	151,00	14,00
GTTTS808000	TTS 145-153-8	145,00	153,00	9,00
GTTTS809000	TTS 145-153-8/L	145,00	153,00	9,00
GTTTS809100	TTS 145-154,3-8/L	145,00	154,30	8,70
GTTTS809200	TTS 145-157,7-9/AI	145,00	157,70	10,00
GTTTS809300	TTS 145-160-15/L-AI	145,00	160,00	16,00
GTTTS810000	TTS 146-156-10/L	146,00	156,00	11,00
GTTTS8101AI	TTS 150-170-13,5/AI	150,00	170,00	14,50
GTTTS810700	TTS 152,4-177,8-14	152,40	177,80	15,00
GTTTS810600	TTS 152,4-188,8-14	152,40	188,80	15,00
GTTTS810100	TTS 154-162,7-8/L	154,00	162,70	9,00
GTTTS810800	TTS 154,5-164-11,5/L	154,50	164,00	12,50
GTTTS810200	TTS 155-163-11,5/L	155,00	163,00	12,50
GTTTS810400	TTS 155-170-11	155,00	170,00	12,00
GTTTS810500	TTS 160-180-15	160,00	180,00	16,00
GTTTS811000	TTS 160-185-18/L-AI	160,00	185,00	19,00
GTTTS812000	TTS 163-178-12/L	163,00	178,00	13,00
GTTTS812100	TTS 165-174,3-8/L	165,00	174,30	8,70
GTTTS813100	TTS 165-180-11	165,00	180,00	12,00
GTTTS813200	TTS 165-173-11,5	165,00	173,00	12,50
GTTTS813000	TTS 165-173-22	165,00	173,00	23,00
GTTTS814000	TTS 165,5-173-9/L	165,50	173,00	10,00
GTTTS814100	TTS 167-176,3-8	167,00	176,30	8,70
GTTTS815000	TTS 170-180-10/L	170,00	180,00	11,00
GTTTS815400	TTS 170-182,7-9	170,00	182,70	10,00
GTTTS815100	TTS 174-182,7-8/L	174,00	182,70	9,00
GTTTS815500	TTS 175-184,5-11,5/L	175,00	184,50	12,50
GTTTS815200	TTS 175-185-12/L	175,00	184,50	13,00
GTTTS815300	TTS 187-196,3-8/L	187,00	196,30	8,70
GTTTS816200	TTS 187-196,5-11,5/L	187,00	196,50	12,50
GTTTS816000	TTS 188-203-12/L	188,00	203,00	13,00
GTTTS816300	TTS 195-210-15/L	195,00	210,00	16,00
GTTTS816100	TTS 196-204,7-8/L	196,00	204,70	9,00
GTTTS816400	TTS 197-206,5-11,5/L	197,00	206,50	12,50
GTTTS817000	TTS 197-209-12/L	197,00	209,00	13,00

Codice Code	Riferimenti References	Dimensione sedi Housing Dimensions		
		d	D	H
GTTTS817800	TTS 200-220-14/L-AI	200,00	220,00	15,00
GTTTS817300	TTS 200-220-15	200,00	220,00	16,00
GTTTS817500	TTS 210-219,3-8/L	210,00	219,30	8,70
GTTTS817700	TTS 210-219,5-11,5	210,00	219,50	12,50
GTTTS817400	TTS 220-240-15	220,00	240,00	16,00
GTTTS817100	TTS 221,5-230,2-11/L	221,50	230,20	12,00
GTTTS817200	TTS 222-234-12/L	222,00	234,00	13,00
GTTTS817600	TTS 225-240-11	225,00	240,00	12,00
GTTTS818000	TTS 228-240-12/L	228,00	240,00	13,00
GTTTS818200	TTS 230-250-15	230,00	250,00	16,00
GTTTS818300	TTS 230-255-18,5	230,00	255,00	19,50
GTTTS818900	TTS 236-245,3-8/L	236,00	245,30	8,70
GTTTS818010	TTS 236-245,5-11,5	236,00	245,50	12,50
GTTTS818400	TTS 240-260-15	240,00	260,00	16,00
GTTTS818500	TTS 249-257,7-12/L	249,00	257,70	13,00
GTTTS818011	TTS 250-270-15	250,00	270,00	16,00
GTTTS818600	TTS 250-275-18,5	250,00	275,00	19,50
GTTTS818700	TTS 255-280-18,5	255,00	280,00	19,50
GTTTS818130	TTS 265-274,3-8/L	265,00	274,30	8,70
GTTTS818120	TTS 265-275,5-11,5/L	265,00	275,50	12,50
GTTTS818800	TTS 275-300-18,5	275,00	300,00	19,50
GTTTS818100	TTS 279-287,7-12	279,00	287,70	13,00
GTTTS819100	TTS 280-305-18,5	280,00	305,00	19,50
GTTTS819000	TTS 300-325-24/L	300,00	325,00	25,00